



INSTRUCTIONS FOR YOUR LASER VISION CORRECTION

In preparation for your upcoming procedure, please review the following reminders:

1 Week Prior to your Procedure:

- Remove your contact lenses unless otherwise directed
- Start Ocular hygiene/ dry eye regimen:
 - **Preservative Free Artificial Tears★**: Instill 1 drop 4-6 times a day
 - **Warm Compresses★**: 1-2 times per day
 - Bruder Mask: Apply on closed lids for 5-10 minutes
 - **Lid Scrubs★**: 1-2 times per day *after* warm compresses

1 Day Prior to your Procedure:

- Place 1 DROP of MOXIFLOXACIN (VIGAMOX) 4 TIMES EACH DAY (breakfast, lunch, dinner, bedtime) in your operative eye(s).
- PLACE 1 DROP of PREDNISOLONE ACETATE (PRED FORTE) 4 TIMES EACH DAY (breakfast, lunch, dinner, bedtime) in your operative eye(s).
- Please wait 5 minutes between eye drops.

A member from our team will contact you with further instructions, including the time of your procedure.



**Refresh Optive
MEGA-3**

4 times per day or
as directed.



**Bruder Eye
Compress Moist
Heat**

Use 5-10
minutes, 1-2
times per day

★ FOR PURCHASE IN-OFFICE

USE PROMO CODE:
SIGHTTRUST FOR 20%
OFF ALL ONLINE
ORDERS



DOWNLOAD
THE APP



**Blephadex Eyelid
Wipes with Tea
Tree and Coconut
Oil**

1-2 times per day.
As directed.

FOR HELP ORDERING ONLINE: CALL 1-888-982-7764
www.DryEyeRescue.com